


=> d 15  
 L5 HAS NO ANSWERS  
 L5 STR



VAR G1=O/C  
 VPA 7-21/19/17 U  
 NODE ATTRIBUTES:  
 DEFAULT MLEVEL IS ATOM  
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
 RING(S) ARE ISOLATED OR EMBEDDED  
 NUMBER OF NODES IS 20

STEREO ATTRIBUTES: NONE

=> s 15 ful  
 FULL SEARCH INITIATED 10:35:15 FILE 'REGISTRY'  
 FULL SCREEN SEARCH COMPLETED - 162 TO ITERATE

100.0% PROCESSED 162 ITERATIONS  
 SEARCH TIME: 00.00.01

116 ANSWERS

L7 116 SEA SSS FUL L5

=> s 17 not 14  
 L8 20 L7 NOT L4

=> s us6635643/pn  
L1 2 US6635643/PN

=> d bib 2

L1 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN  
AN 1999:64684 CAPLUS  
DN 130:139258  
TI Gastrokinetic bicyclic benzamides of 3- or 4-substituted  
4-(aminomethyl)piperidine derivatives  
IN Bosmans, Jean-paul Rene Marie Andre; De Cleyn, Michel Anna Jozef; Surkyn,  
Michel  
PA Janssen Pharmaceutica N.V., Belg.  
SO PCT Int. Appl., 54 pp.  
CODEN: PIXXD2  
DT Patent  
LA English  
FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9902156	A1	19990121	WO 1998-EP4190	19980707
	W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	TW 402591	B	20000821	TW 1998-87109332	19980612
	TW 548103	B	20030821	TW 1998-87109331	19980612
	AU 9888574	A1	19990208	AU 1998-88574	19980707
	AU 734475	B2	20010614		
	EP 991410	A1	20000412	EP 1998-940158	19980707
	EP 991410	B1	20021030		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, SI, LT, LV, FI, RO				
	TR 200000022	T2	20000621	TR 2000-200000022	19980707
	TR 200000023	T2	20000921	TR 2000-200000023	19980707
	BR 9811688	A	20000926	BR 1998-11688	19980707
	EE 200000015	A	20001016	EE 2000-200000015	19980707
	EE 4178	B1	20031215		
	NZ 502209	A	20010126	NZ 1998-502209	19980707
	JP 2002508000	T2	20020312	JP 1999-508125	19980707
	EP 1206938	A1	20020522	EP 2002-75710	19980707
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
	AT 226820	E	20021115	AT 1998-940158	19980707
	PT 991410	T	20030331	PT 1998-940158	19980707
	ES 2187051	T3	20030516	ES 1998-940158	19980707
	CN 1117568	B	20030813	CN 1998-806950	19980707
	ES 2212330	T3	20040716	ES 1998-939620	19980707
	ZA 9806164	A	20000110	ZA 1998-6164	19980710
	ZA 9806167	A	20000110	ZA 1998-6167	19980710
	BG 63709	B1	20021031	BG 1999-103983	19991210
	HR 2000000006	A1	20001231	HR 2000-6	20000105
	NO 2000000116	A	20000307	NO 2000-116	20000110
	HK 1025047	A1	20030321	HK 2000-104203	20000708
	US 2002086879	A1	20020704	US 2001-791227	20010222 <--
	US 6635643	B2	20031021		
	US 2004058958	A1	20040325	US 2003-643506	20030819

PRAI EP 1997-202180	A	19970711
EP 1998-200624	A	19980227
EP 1998-940158	A3	19980707
WO 1998-EP4190	W	19980707
US 1998-113635	B1	19980710
US 1999-349912	B1	19990708
US 2001-791227	A3	20010222

OS MARPAT 130:139258

RE.CNT 4        THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD  
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> analyze l1  
 ENTER ANSWER NUMBER OR RANGE (1-):2  
 ENTER DISPLAY CODE (TI) OR ?:rn  
 L2            ANALYZE L1 2 RN :        123 TERMS

=> fil reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	13.94	15.21

FILE 'REGISTRY' ENTERED AT 10:33:00 ON 14 JAN 2005  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
 provided by InfoChem.

STRUCTURE FILE UPDATES:    12 JAN 2005    HIGHEST RN 812631-13-3  
 DICTIONARY FILE UPDATES:   12 JAN 2005    HIGHEST RN 812631-13-3

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when  
 conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more  
 information enter HELP PROP at an arrow prompt in the file or refer  
 to the file summary sheet on the web at:  
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> s 12  
 L3            123 L2

=> s 13 and piperidin/  
 'PIPERIDIN/' IS NOT A VALID FIELD CODE  
 For a list of field codes for the current file, enter "HELP SFIELDS"  
 at an arrow prompt (=>).

=> s 13 and piperidin?  
 789935 PIPERIDIN?  
 L4            108 L3 AND PIPERIDIN?

d his

(FILE 'HOME' ENTERED AT 10:30:01 ON 14 JAN 2005)

FILE 'REGISTRY' ENTERED AT 10:32:15 ON 14 JAN 2005

FILE 'CAPLUS' ENTERED AT 10:32:32 ON 14 JAN 2005

L1 2 S US6635643/PN  
L2 ANALYZE L1 2 RN : 123 TERMS

FILE 'REGISTRY' ENTERED AT 10:33:00 ON 14 JAN 2005

L3 123 S L2  
L4 108 S L3 AND PIPERIDIN?  
L5 STRUC  
L6 5 S L5  
L7 116 S L5 FUL  
L8 20 S L7 NOT L4

FILE 'CAPLUS' ENTERED AT 10:35:45 ON 14 JAN 2005


L9 1 S L8

FILE 'REGISTRY' ENTERED AT 10:38:02 ON 14 JAN 2005

=> d 18 1-20

L8 ANSWER 1 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 775269-65-3 REGISTRY  
CN 1,4-Benzodioxin-5-carboxamide, 8-amino-N-[[ (3R,4S)-1-butyl-3-hydroxy-4-piperidinyl]methyl]-7-chloro-2,3-dihydro-, rel- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C19 H28 Cl N3 O4  
CI COM  
SR CA

Relative stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 2 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 767614-29-9 REGISTRY  
CN 7-Benzofurancarboxamide, 4-amino-5-chloro-2,3-dihydro-N-[[ (3R,4S)-3-hydroxy-4-piperidinyl]methyl]-, rel- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C15 H20 Cl N3 O3  
CI COM

SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 3 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 742682-51-5 REGISTRY  
CN 2H-1,5-Benzodioxepin-6-carboxamide, 9-amino-N-[[ (3R,4R)-1-butyl-3-hydroxy-4-piperidinyl]methyl]-8-chloro-3,4-dihydro-, rel- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C20 H30 Cl N3 O4  
CI COM  
SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 4 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 741237-01-4 REGISTRY  
CN 2H-1,5-Benzodioxepin-6-carboxamide, 9-amino-8-chloro-3,4-dihydro-N-[[ (3R,4R)-3-hydroxy-4-piperidinyl]methyl]-, rel- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C16 H22 Cl N3 O4  
CI COM  
SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L8 ANSWER 5 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 709608-47-9 REGISTRY  
CN 1,4-Benzodioxin-5-carboxamide, 8-amino-7-chloro-2,3-dihydro-N-[[ (3R,4S) -3-hydroxy-4-piperidinyl]methyl]-, rel- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C15 H20 Cl N3 O4  
CI COM  
SR CA

Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L8 ANSWER 6 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 219985-12-3 REGISTRY  
CN 7-Benzofurancarboxamide, 4-amino-5-chloro-2,3-dihydro-N-[[4-hydroxy-1-[2-(2-hydroxyethoxy)ethyl]-4-piperidinyl]methyl]-2,2-dimethyl- (9CI) (CA INDEX NAME)  
FS 3D CONCORD  
MF C21 H32 Cl N3 O5  
CI COM  
SR CA



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 7 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 219985-08-7 REGISTRY  
 CN 7-Benzofurancarboxamide, 4-amino-5-chloro-2,3-dihydro-N-[[4-hydroxy-1-  
 [(tetrahydro-2-furanyl)methyl]-4-piperidiny]methyl]-2,2-dimethyl- (9CI)  
 (CA INDEX NAME)  
 FS 3D CONCORD  
 MF C22 H32 Cl N3 O4  
 CI COM  
 SR CA


PAGE 1-A



|  
NH<sub>2</sub>

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L8 ANSWER 8 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 219985-06-5 REGISTRY  
 CN 7-Benzofurancarboxamide, 4-amino-5-chloro-2,3-dihydro-N-[[4-hydroxy-1-(3-methoxypropyl)-4-piperidinyl]methyl]-2,2-dimethyl- (9CI) (CA INDEX NAME)  
 FS 3D CONCORD  
 MF C21 H32 Cl N3 O4  
 CI COM  
 SR CA



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 9 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 219985-04-3 REGISTRY  
 CN 7-Benzofurancarboxamide, 4-amino-N-[(1-butyl-4-hydroxy-4-piperidinyl)methyl]-5-chloro-2,3-dihydro-2,2-dimethyl- (9CI) (CA INDEX NAME)  
 FS 3D CONCORD  
 MF C21 H32 Cl N3 O3  
 CI COM  
 SR CA






\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 10 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 219984-90-4 REGISTRY  
 CN 2H-1-Benzopyran-8-carboxamide, 5-amino-6-chloro-3,4-dihydro-N-[[ (3R,4R)-3-hydroxy-1-[2-(2-hydroxyethoxy)ethyl]-4-piperidinyl]methyl]-, rel- (9CI)  
 (CA INDEX NAME)  
 FS STEREOSEARCH  
 MF C20 H30 Cl N3 O5  
 CI COM  
 SR CA

Relative stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 11 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 219984-84-6 REGISTRY  
 CN 2H-1,5-Benzodioxepin-6-carboxamide, 9-amino-8-chloro-3,4-dihydro-N-[[ (3R,4R)-3-hydroxy-1-[2-(3-methyl-6-oxo-1(6H)-pyridazinyl)ethyl]-4-piperidinyl]methyl]-, rel- (9CI) (CA INDEX NAME)  
 FS STEREOSEARCH

MF C23 H30 Cl N5 O5  
CI COM  
SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 12 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 219984-79-9 REGISTRY  
CN 2H-1,5-Benzodioxepin-6-carboxamide, 9-amino-8-chloro-3,4-dihydro-N-  
[[ (3R,4R)-3-hydroxy-1-(3-methoxypropyl)-4-piperidinyl]methyl]-, rel- (9CI)  
(CA INDEX NAME)  
FS STEREOSEARCH  
MF C20 H30 Cl N3 O5  
CI COM  
SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 13 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 219984-75-5 REGISTRY  
 CN 1,4-Benzodioxin-5-carboxamide, 8-amino-7-chloro-2,3-dihydro-N-[[ (3R,4R)-3-hydroxy-1-[2-(3-methyl-6-oxo-1(6H)-pyridazinyl)ethyl]-4-piperidinyl]methyl]-, rel- (9CI) (CA INDEX NAME)  
 FS STEREOSEARCH  
 MF C22 H28 Cl N5 O5  
 CI COM  
 SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 14 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 219984-73-3 REGISTRY  
 CN 1,4-Benzodioxin-5-carboxamide, 8-amino-7-chloro-2,3-dihydro-N-[[ (3R,4R)-3-hydroxy-1-[3-(2-methyl-1,3-dioxolan-2-yl)propyl]-4-piperidinyl]methyl]-, rel- (9CI) (CA INDEX NAME)  
 FS STEREOSEARCH  
 MF C22 H32 Cl N3 O6  
 CI COM  
 SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 15 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 219984-62-0 REGISTRY  
 CN 7-Benzofurancarboxamide, 4-amino-5-chloro-2,3-dihydro-N-[(3R,4R)-3-methoxy-1-(3-methoxypropyl)-4-piperidinylmethyl]-2,2-dimethyl-, rel-(9CI) (CA INDEX NAME)  
 FS STEREOSEARCH  
 MF C22 H34 Cl N3 O4  
 CI COM  
 SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 16 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 219984-60-8 REGISTRY  
 CN 7-Benzofurancarboxamide, 4-amino-N-[(3R,4R)-1-butyl-3-methoxy-4-piperidinylmethyl]-5-chloro-2,3-dihydro-2,2-dimethyl-, rel-(9CI) (CA INDEX NAME)  
 FS STEREOSEARCH  
 MF C22 H34 Cl N3 O3  
 CI COM  
 SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 17 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 219984-56-2 REGISTRY  
 CN 7-Benzofurancarboxamide, 4-amino-5-chloro-2,3-dihydro-N-[[[(3R,4R)-3-hydroxy-1-[3-(2-methyl-1,3-dioxolan-2-yl)propyl]-4-piperidinyl]methyl]-2,2-dimethyl-, rel- (9CI) (CA INDEX NAME)  
 FS STEREOSEARCH  
 MF C24 H36 Cl N3 O5  
 CI COM  
 SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 18 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
 RN 219984-52-8 REGISTRY  
 CN 7-Benzofurancarboxamide, 4-amino-5-chloro-2,3-dihydro-N-[[[(3R,4R)-3-hydroxy-1-[3-(1-methylethoxy)propyl]-4-piperidinyl]methyl]-2,2-dimethyl-, rel- (9CI) (CA INDEX NAME)  
 FS STEREOSEARCH  
 MF C23 H36 Cl N3 O4  
 CI COM  
 SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 19 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 219984-16-4 REGISTRY  
CN 7-Benzofurancarboxamide, 4-amino-5-chloro-2,3-dihydro-N-[[[(3R,4R)-3-hydroxy-1-[3-(2-methyl-1,3-dioxolan-2-yl)propyl]-4-piperidinyl]methyl]-, rel- (9CI) (CA INDEX NAME)  
FS STEREOSEARCH  
MF C22 H32 Cl N3 O5  
CI COM  
SR CA


Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L8 ANSWER 20 OF 20 REGISTRY COPYRIGHT 2005 ACS on STN  
RN 214751-42-5 REGISTRY  
CN 1,4-Benzodioxin-5-carboxamide, 8-amino-7-chloro-2,3-dihydro-N-[[[4-hydroxy-1-(phenylmethyl)-4-piperidinyl]methyl]- (9CI) (CA INDEX NAME)  
FS 3D CONCORD  
MF C22 H26 Cl N3 O4  
SR CA  
LC STN Files: CA, CAPLUS  
DT.CA CAPLUS document type: Patent


RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 HAS NO ANSWERS  
L4 STR



VPA 9-18/17/19 U  
NODE ATTRIBUTES:  
DEFAULT MLEVEL IS ATOM  
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
RING(S) ARE ISOLATED OR EMBEDDED  
NUMBER OF NODES IS 21

STEREO ATTRIBUTES: NONE


=> s l4 ful  
FULL SEARCH INITIATED 11:08:36 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 546 TO ITERATE

100.0% PROCESSED 546 ITERATIONS  
SEARCH TIME: 00.00.01


0 ANSWERS

L6 0 SEA SSS FUL L4

=> struc  
ENTER NAME OF STRUCTURE TO BE RECALLED (NONE):l4  
ENTER (DIS), GRA, NOD, BON OR ?:dis



VPA 9-18/17/19 U  
ENTER (DIS), GRA, NOD, BON OR ?:del 5, dis





VPA 9-18/17/19 U  
ENTER (DIS), GRA, NOD, BON OR ?:end  
L7 STRUCTURE CREATED

=> s 17  
SAMPLE SEARCH INITIATED 11:08:54 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 47 TO ITERATE

100.0% PROCESSED 47 ITERATIONS 0 ANSWERS  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 529 TO 1351  
PROJECTED ANSWERS: 0 TO 0

L8 0 SEA SSS SAM L7

=> s 17 ful  
FULL SEARCH INITIATED 11:08:57 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 890 TO ITERATE

100.0% PROCESSED 890 ITERATIONS 0 ANSWERS  
SEARCH TIME: 00.00.01

L9 0 SEA SSS FUL L7